

Author Index

- ABE, K. *see* KADOTA, J.
 AKAI, Y. *see* YAMAGUCHI, T.
 AKUFFO, H., MAASHO, K., LAVEBRATT, C., ENGSTRÖM, K. & BRITTON, S. Ivermectin-induced immunopotentiality in onchocerciasis: recognition of selected antigens following a single dose of ivermectin, 244
 ALBERTI, A. *see* FATTOVICH, G.
 ALGARRA, I., GONZÁLEZ, A., PÉREZ, M., GAFORIO, J.J. & GARRIDO, F. Effect of *in vivo* activation of natural killer (NK) cells by a tilorone analogue on the survival of mice injected intravenously with different experimental murine tumours, 499
 ANDO, Y. *see* KUZUSHIMA, K.
 ARASE, H. *see* ARASE, N.
 ARASE, N., ARASE, H., OHKI, K., NISHINO, Y., IKUTA, K. & ONOÉ, K. Mitogenic effect of HIV-infected human T cell lines on mouse B cells mediated by surface immunoglobulin, 24
 ARNOULD, A. *see* BEN-AMOR, A.
 ASHERSON, G.L., DIEHL, F., SERICI, G. & SALERNO, A. Role of IL-4 in delayed type hypersensitivity, 1
 ASHIDA, M. *see* KADOTA, J.
 AUDRAN, R., LESIMPLE, T., DELAMAIRE, M., PICOT, C., VAN DAMME, J. & TOUJAS, L. Adhesion molecule expression and response to chemotactic agents of human monocyte-derived macrophages, 155
 AUSTEN, K.F. *see* DU, T.
 AVILA, A. *see* AVILA, J.L.
 AVILA, J.L., ROJAS, M. & AVILA, A. Cholesterol sulphate-reactive autoantibodies are specifically increased in chronic chagasic human patients, 40
 BAMBERG, T.V. *see* FUJIIHASHI, K.
 BANSAL, S. *see* STAINES, N.A.
 BAR-YEHUDA, S. *see* BENTWICH, Z.
 BARKER, R.N., WELLS, A.D., GHORAISHIAN, M., EASTERFIELD, A.J., HITSUMOTO, Y., ELSON, C.J. & THOMPSON, S.J. Expression of mammalian 60-kD heat shock protein in the joints of mice with pristane-induced arthritis, 83
 BARTZ, S.R. *see* WALLACE, M.
 BEN-AMOR, A., LEITE-DE-MORAES, M.C., LEPAUT, F., SCHNEIDER, E., MACHAVOINE, F., ARNOULD, A., CHATENOU, L. & DY, M. *In vitro* T cell unresponsiveness following low-dose injection of anti-CD3 MoAb, 491
 BENBERNOU, N. *see* ESNAULT, S.
 BENDICH, A. *see* NOONAN, F.P.
 BENNETT, B. *see* D'SOUZA, S.
 BENNETT, S. *see* THORNTON, S.C.
 BENTWICH, Z., WEISMAN, Z., MOROZ, C., BAR-YEHUDA, S. & KALINKOVICH, A. Immune dysregulation in Ethiopian immigrants in Israel: relevance to helminth infections?, 239
 BETTAIEB, A., OKSENHENDLER, E., DUEBARI, N. & BIERLING, P. Cross-reactive antibodies between HIV-gp120 and platelet gpIIIa (CD61) in HIV-related immune thrombocytopenic purpura, 19
 BIANCHI-MONDAIN, A.-M. *see* DUCOS, J.
 BIERLING, P. *see* BETTAIEB, A.
 BIJSER, M. *see* JONGEN-LAVRENCIC, M.
 BILLINGHAM, M.E.J. *see* KINGSTON, A.E.
 BIOQUE, G. *see* BOUMA, G.
 BLAKE, D.R. *see* RAGNO, S.
 BOSCO, O. *see* LANZA, L.
 BOUMA, G., XIA, B., CRUSIUS, J.B.A., BIOQUE, G., KOUTROBAKIS, I., VON BLONBERG, B.M.E., MEUWISSEN, S.G.M. & PEÑA, A.S. Distribution of four polymorphisms in the tumour necrosis factor (TNF) genes in patients with inflammatory bowel disease (IBD), 391
 BRANDTZAEG, P. *see* NILSEN, E.M.
 BREEDVELD, F.C. *see* JONGEN-LAVRENCIC, M.
 BRESNIHAN, B. *see* HASSAN, J.
 BREIT, S.N. *see* THORNTON, S.C.
 BRITTON, S. *see* AKUFFO, H.
 BROOKES, S.M., COHEN, S.B.A., PRICE, E.J., WEBB, L.M.C., FELDMANN, M., MAINI, R.N. & VENABLES, P.J.W. T cell clones from a Sjögren's syndrome salivary gland biopsy produce high levels of IL-10, 268
 BROOKS, N. *see* WOERLY, G.
 BROWN, D. *see* WEBSTER, A.D.B.
 BROWN, I.N. *see* D'SOUZA, S.
 BRUTEL, G. *see* JONGEN-LAVRENCIC, M.
 BUCHT, A., LARSSON, P., WEISBROT, L., THORNE, C., PISA, P., SMEDEGÅRD, G., KEYSTONE, E.C. & GRÖNBERG, A. Expression of interferon-gamma (IFN- γ), IL-10, IL-12 and transforming growth factor-beta (TGF- β) mRNA in synovial fluid cells from patients in the early and late phases of rheumatoid arthritis (RA), 357
 CARLIER, Y. *see* JACOBS, F.
 CASTELL, M. *see* PELEGRI, C.
 CASTELLOTE, C. *see* PELEGRI, C.
 CHAN, M. *see* JAWAHAR, S.
 CHANEZ, P. *see* VACHIER, I.
 CHANG, W.-L. *see* WALLACE, M.
 CHATENOU, L. *see* BEN-AMOR, A.
 CHATILA, T. *see* JAWAHAR, S.
 CHEN, D.S. *see* TSAI, S.L.
 CLAAS, F.H.J. *see* VAESSEN, L.M.B.
 COHEN, S.B.A. *see* BROOKES, S.M.
 COLSTON, M.J. *see* KINGSTON, A.E.
 CONGE, A.M. *see* DUCOS, J.
 COOK, B.L. *see* COOK, R.T.
 COOK, R.T., WALDSCHMIDT, T.J., COOK, B.L., LABRECQUE, D.R. & MCLATCHIE, K. Loss of the CD5⁺ and CD45RA^{hi} B cell subsets in alcoholics, 304
 CORNACCHIULO, V. *see* SANSONNO, D.
 COULTHART, A. *see* GRIFFITH, M.E.
 COX, P.H. *see* JONGEN-LAVRENCIC, M.
 CRUSIUS, J.B.A. *see* BOUMA, G.
 D'SOUZA, S., LEVIN, M., FAITH, A., YSSEL, H., BENNETT, B., LAKE, R.A., BROWN, I.N. & LAMB, J.R. Defective antigen processing associated with familial disseminated mycobacteriosis, 35
 DAHA, M.R. *see* GERRITSMAN, J.S.J.
 DALEY, C.L. *see* VANHAM, G.
 DAMMACCO, F. *see* SANSONNO, D.
 DAS, B.K., PARIDA, S. & RAVINDRAN, B. A prognostic role for anti-phosphatidyl choline antibodies in human cerebral malaria, 442
 DE FABO, H.A. *see* NOONAN, F.P.
 DELAMAIRE, M. *see* AUDRAN, R.
 DI PIERRO, F. *see* RAGNO, S.
 DIEHL, F. *see* ASHERSON, G.L.
 DIJKSTRA, C.D. *see* RUULS, S.R.
 DILLON, M.J. *see* NASH, M.C.
 DOHI, K. *see* YAMAGUCHI, T.
 DU, T., FRIEND, D.S., AUSTEN, K.F. & KATZ, H.R. Tissue-dependent differences in the asynchronous appearance of mast cells in normal mice and in congenic mast cell-deficient mice after infusion of normal bone marrow cells, 316
 DUBOIS, C. *see* JACOBS, F.
 DUCHMANN, R. *see* MAYET, W.-J.
 DUCOS, J., BIANCHI-MONDAIN, A.-M., PAGEAUX, G., CONGE, A.M., PONCET, R., VENDRELL, J.-P., SEGONDY, M. & SERRE, A. Hepatitis B virus (HBV)-specific *in vitro* antibody production by peripheral blood mononuclear cells (PBMC) after vaccination by recombinant hepatitis B surface antigen (rHBsAg), 15
 DUEBARI, N. *see* BETTAIEB, A.
 DUSHEIKO, G. *see* WEBSTER, A.D.B.
 DY, M. *see* BEN-AMOR, A.

- EASTERFIELD, A.J. *see* BARKER, R.N.
 EDMONDS, K. *see* VANHAM, G.
 EKLUND, A.G. *see* SHIGEMATSU, M.
 ELLNER, J.J. *see* VANHAM, G.
 ELSON, C.J. *see* BARKER, R.N.
 ENG, H. *see* YI, Q.
 ENGSTRÖM, K. *see* AKUFFO, H.
 ESCHWÉGE, V., LAUDE, I., TOTI, F., PASQUALI, J.-L. & FREYSSINET, J.-M. Detection of bilayer phospholipid-binding antibodies using flow cytometry, 171
 ESNAULT, S., BENBERNOU, N., LAVAUD, F., SHIN, H.C., POTRON, G. & GUENOUNOU, M. Differential spontaneous expression of mRNA for IL-4, IL-10, IL-13, IL-2 and interferon-gamma (IFN- γ) in peripheral blood mononuclear cells (PBMC) from atopic patients, 111
- FAITH, A. *see* D'SOUZA, S.
 FANGER, M.W. *see* MAEDA, M.
 FATTOVICH, G., VINANTE, F., GIUSTINA, G., MOROSATO, L., ALBERTI, A., RUOL, A. & PIZZOLO, G. Serum levels of soluble CD30 in chronic hepatitis B virus infection, 105
 FECAROTTA, E. *see* LANZA, L.
 FEIGHERY, C. *see* HASSAN, J.
 FELDMANN, M. *see* BROOKES, S.M.
 FILACI, G. *see* LANZA, L.
 FINBERG, R. *see* JAWAHAR, S.
 FINERTY, S. *see* WILSON, A.D.
 FOULCHER, E. *see* THORNTON, S.C.
 FRANCH, A. *see* PELEGRI, C.
 FRANZ, A. *see* WEBSTER, A.D.B.
 FREYSSINET, J.-M. *see* ESCHWÉGE, V.
 FRIEDMAN, M.G., ENTIN, N., ZEDAKA, R. & DAGAN, R. Subclasses of IgA antibodies in serum and saliva samples of newborns and infants immunized against rotavirus, 206
 FRIEDMAN, A. *see* WAKSMAN, Y.
 FRIEND, D.S. *see* DU, T.
 FROSTEGÅRD, J. *see* HUANG, Y.H.
 FUJIHASHI, K., YAMAMOTO, M., HIROI, T., BAMBERG, T.V., MCGHEE, J.R. & KIIYONO, H. Selected Th1 and Th2 cytokine mRNA expression by CD4⁺ T cells isolated from inflamed human gingival tissues, 422
 FUJII, T. *see* KADOTA, J.
 FUJIMOTO, T. *see* YAMAGUCHI, T.
 FURUSU, A. *see* ICHINOSE, H.
 FUTENMA, M. *see* TOHYAMA, M.
- GAFORIO, J.J. *see* ALGARRA, I.
 GAO, X.-M. & MCMICHAEL, A.J. Cytotoxic T lymphocytes specific for murine type II collagen do not trigger arthritis in B10 mice, 89
 GARCIA, A. *see* GARCIA-LOZANO, R.
 GARCIA-LOZANO, R., WICHMANN, I., GARCIA, A., SANCHEZ-ROMAN, J., GONZALEZ-ESCRIBANO, F. & NUÑEZ-ROLDAN, A. Presence of antibodies to replication protein A in some patients with systemic lupus erythematosus (SLE), 74
 GARRIDO, F. *see* ALGARRA, I.
 GEHA, R. *see* JAWAHAR, S.
 GERRITSEN, A.F. *see* GERRITSMA, J.S.J.
 GERRITSMA, J.S.J., HIEMSTRA, P.S., GERRITSEN, A.F., PRODJOSUDIADI, W., VERWEI, C.L., VAN ES, L.A. & DAHA, M.R. Regulation and production of IL-8 by human proximal tubular epithelial cells *in vitro*, 289
 GHORAISHIAN, M. *see* BARKER, R.N.
 GIGASE, P. *see* VANHAM, G.
 GIUSTINA, G. *see* FATTOVICH, G.
 GIERTSEN, H.A. *see* NILSEN, E.M.
 GODARD, P. *see* VACHIER, I.
 GOLDMAN, M. *see* JACOBS, F.
 GONZALEZ-ESCRIBANO, F. *see* GARCIA-LOZANO, R.
 GONZÁLEZ, A. *see* ALGARRA, I.
 GREENOUGH, A. *see* MAEDA, M.
 GRIFFITH, M.E., COULTHART, A. & PUSEY, C.D. T cell responses to myeloperoxidase (MPO) and proteinase 3 (PR3) in patients with systemic vasculitis, 253
 GRÖNBERG, A. *see* BUCHT, A.
 GRUNEWALD, J. *see* SHIGEMATSU, M.
 GUENOUNOU, M. *see* ESNAULT, S.
- GUPTA, R.S. *see* HANDLEY, H.H.
 GUYRE, P.M. *see* MAEDA, M.
- HAEGERSTRAND, A. *see* HUANG, Y.H.
 HAMAGUCHI, T. *see* YAMAGUCHI, T.
 HANDLEY, H.H., YU, J., YU, D.T.Y., SINGH, B., GUPTA, R.S. & VAUGHAN, J.H. Autoantibodies to human heat shock protein (hsp)60 may be induced by *Escherichia coli* groEL, 429
 HARA, K. *see* ICHINOSE, H.
 HARADA, T. *see* ICHINOSE, H.
 HARPER, N. *see* STAINES, N.A.
 HASSAN, J., YANNI, G., HEGARTY, V., FEIGHERY, C., BRESNIHAN, B. & WHELAN, A. Increased numbers of CD5⁺ B cells and T cell receptor (TCR) $\gamma\delta$ ⁺ T cells are associated with younger age of onset in rheumatoid arthritis (RA), 353
 HAYASHI, H. *see* HONMA, K.
 HÄLLGREN, J., KNUTSON, F., LÄVÖ, B. & HÄLLGREN, R. Increased mucosal synthesis of rheumatoid factor (RF) in coeliac disease, 94
 HÄLLGREN, R. *see* HÄLLGREN, J.
 HE, W. *see* YI, Q.
 HEGARTY, V. *see* HASSAN, J.
 HEIMBÜRGER, M. & PALMBLAD, J.E.W. Effects of leukotriene C₄ and D₄, histamine and bradykinin on cytosolic calcium concentrations and adhesiveness of endothelial cells and neutrophils, 454
 HEINKELEIN, M., PILZ, S. & JASSOY, C. Inhibition of CD95 (Fas/Apo1)-mediated apoptosis by vaccinia virus WR, 8
 HICKS, C.A. *see* KINGSTON, A.E.
 HIEMSTRA, P.S. *see* GERRITSMA, J.S.J.
 HIRAYAMA, T. *see* YAMAGUCHI, T.
 HIROI, T. *see* FUJIHASHI, K.
 HITSUMOTO, Y. *see* BARKER, R.N.
 HOD, I. *see* WAKSMAN, Y.
 HOFFMAN, E.C.
 HOLMDAHL, R. *see* STAINES, N.A.
 HOM, D. *see* VANHAM, G.
 HONMA, K., KOHNO, Y., SAITO, K., SHIMOJO, N., HORIUCHI, T., HAYASHI, H., SUZUKI, N., HOSOYA, T., TSUNOO, H. & NIIMI, H. Allergic epitopes of ovalbumin (OVA) in patients with hen's egg allergy: inhibition of basophil histamine release by haptenic ovalbumin peptide, 446
 HORII, Y. *see* YAMAGUCHI, T.
 HORIUCHI, T. *see* HONMA, K.
 HOSOYA, T. *see* HONMA, K.
 HOUGEN, H.P. *see* JOHANSEN, H.K.
 HUANG, Y.H., HAEGERSTRAND, A. & FROSTEGÅRD, J. Effects of *in vitro* hyperthermia on proliferative responses and lymphocyte activity, 61
 HUEBNER, R. *see* VANHAM, G.
 HUITINGA, I. *see* RUULS, S.R.
 HØIBY, N. *see* JOHANSEN, H.K.
- IACOBELLI, A.R. *see* SANSONNO, D.
 ICHINOSE, H., MIYAZAKI, M., KOJI, T., FURUSU, A., OZONO, Y., HARADA, T., SHIN, M., NAKANE, P.K. & HARA, K. Detection of cytokine mRNA-expressing cells in peripheral blood of patients with IgA nephropathy using non-radioactive *in situ* hybridization, 125
 IIDA, K. *see* KADOTA, J.
 IKUTA, K. *see* ARASE, N.
 INDIVERI, F. *see* LANZA, L.
 INOUE, A. *see* TAMAI, M.
 IODICE, G. *see* SANSONNO, D.
 ISHIMATSU, Y. *see* KADOTA, J.
 ITOH, K. *see* TAMAI, M.
 IWANO, M. *see* YAMAGUCHI, T.
 IZUMI, T. *see* SHIGEMATSU, M.
- JACOBS, F., DUBOIS, C., CARLIER, Y. & GOLDMAN, M. Administration of anti-CD3 monoclonal antibody during experimental Chagas' disease induces CD8⁺ cell-dependent lethal shock, 233
 JASSOY, C. *see* HEINKELEIN, M.
 JAWAHAR, S., MOODY, C., CHAN, M., FINBERG, R., GEHA, R. & CHATILA, T. Natural killer (NK) cell deficiency associated with an epitope-deficient Fc receptor type IIIA (CD16-II), 408
 JENSEN, K. *see* NILSEN, E.M.

- JOHANSEN, H.K., HOUGEN, H.P., RYGAARD, J. & HØIBY, N. Interferon-gamma (IFN- γ) treatment decreases the inflammatory response in chronic *Pseudomonas aeruginosa* pneumonia in rats, 212
- JONES, B. *see* VANHAM, G.
- JONGEN-LAVRENCIC, M., PEETERS, H.R.M., ROZEMULLER, H., ROMBOUTS, W.J.C., MARTENS, A.C.M., VREUGDENHIL, G., PILLAY, M., COX, P.H., BUSER, M., BRUTEL, G., BREEDVELD, F.C. & SWAAK, A.J.G. IL-6-induced anaemia in rats: possible pathogenetic implications for anaemia observed in chronic inflammations, 328
- KADOTA, J., MATSUBARA, Y., ISHIMATSU, Y., ASHIDA, M., ABE, K., SHIRAI, R., IIDA, K., KAWAKAMI, K., TANIGUCHI, H., FUJII, T., KASEDA, M., KAWAMOTO, S. & KOHNO, S. Significance of IL-1 β and IL-1 receptor antagonist (IL-1Ra) in bronchoalveolar lavage fluid (BALF) in patients with diffuse panbronchiolitis (DPB), 461
- KALINKOVICH, A. *see* BENTWICH, Z.
- KASEDA, M. *see* KADOTA, J.
- KATZ, H.R. *see* DU, T.
- KAWABATA, R. *see* TAMAI, M.
- KAWAKAMI, K. *see* KADOTA, J.
- KAWAKAMI, K. *see* TOHYAMA, M.
- KAWAMOTO, S. *see* KADOTA, J.
- KESTENS, L. *see* VANHAM, G.
- KEYSTONE, E.C. *see* BUCHT, A.
- KIMURA, H. *see* KUZUSHIMA, K.
- KINGSTON, A.E. HICKS, C.A. COLSTON, M.J. & BILLINGHAM, M.E.J. A 71-kD heat shock protein (hsp) from *Mycobacterium tuberculosis* has modulatory effects on experimental rat arthritis, 77
- KIYONO, H. *see* FUJHASHI, K.
- KLAR-MOHAMAD, N. *see* RETERINK, T.J.F.
- KNOOP, C. *see* VAESSEN, L.M.B.
- KNUTSON, F. *see* HÄLLGREN, J.
- KOHNO, S. *see* KADOTA, J.
- KOHNO, Y. *see* HONMA, K.
- KOJI, T. *see* ICHINOSE, H.
- KOUTROBAKIS, I. *see* BOUMA, G.
- KUBO, A. *see* YAMAGUCHI, T.
- KUDO, T. *see* KUZUSHIMA, K.
- KURUMATANI, N. *see* YAMAGUCHI, T.
- KUZUSHIMA, K., YAMAMOTO, M., KIMURA, H., ANDO, Y., KUDO, T., TSUGE, I. & MORISHIMA, T. Establishment of anti-Epstein-Barr virus (EBV) cellular immunity by adoptive transfer of virus-specific cytotoxic T lymphocytes from an HLA-matched sibling to a patient with severe chronic active EBV infection, 192
- LABRECQUE, D.R. *see* COOK, R.T.
- LAI, M.Y. *see* TSAI, S.L.
- LAKE, R.A. *see* D'SOUZA, S.
- LAMB, J.R. *see* D'SOUZA, S.
- LANZA, L., SCUDELETTI, M., PUPPO, F., BOSCO, O., PEIRANO, L., FILACI, G., FECAROTTA, E., VIDALI, G. & INDIVERI, F. Prednisone increases apoptosis in *in vitro* activated human peripheral blood T lymphocytes, 482
- LARSSON, P. *see* BUCHT, A.
- LAUDE, I. *see* ESCHWÈGE, V.
- LAVAUD, F. *see* ESNAULT, S.
- LAVEBRATT, C. *see* AKUFFO, H.
- LAVÖ, B. *see* HÄLLGREN, J.
- LEFVERT, A.K. *see* YI, Q.
- LEITE-DE-MORAES, M.C. *see* BEN-AMOR, A.
- LEPAULT, F. *see* BEN-AMOR, A.
- LESIMPLE, T. *see* AUDRAN, R.
- LEVARHT, E.W.N. *see* RETERINK, T.J.F.
- LEVIN, M. *see* D'SOUZA, S.
- LINK, H. *see* XIAO, B.-G.
- LISTER, C.M. *see* THOMAS, H.I.J.
- LOCKWOOD, C.M. *see* ZHAO, M.H.
- LOUBATIÈRE, J. *see* VACHIER, I.
- LUCIETTO, P. *see* RAGNO, S.
- LUNDIN, K.E.A. *see* NILSEN, E.M.
- LYDYARD, P.M. *see* MAEDA, M.
- MA, C.-G. *see* XIAO, B.-G.
- MAASHO, K. *see* AKUFFO, H.
- MACHAVOINE, F. *see* BEN-AMOR, A.
- MACKENZIE, D.A. *see* WALLACE, M.
- MAEDA, M., VAN SCHIE, R.C.A.A., YÜKSEL, B., GREENOUGH, A., FANGER, M.W., GUYRE, P.M. & LYDYARD, P.M. Differential expression of Fc receptors for IgG by monocytes and granulocytes from neonates and adults, 343
- MAGNUSSON, Y. *see* YI, Q.
- MAINI, R.N. *see* BROOKES, S.M.
- MALKOVSKY, M. *see* WALLACE, M.
- MALMSTRÖM, V. *see* STAINES, N.A.
- MANNIK, M. Presence of covalent bonds between immune deposits and other macromolecules in murine renal glomeruli, 285
- MARTENS, A.C.M. *see* JONGEN-LAVRENCIC, M.
- MASCAGNI, P. *see* RAGNO, S.
- MATELL, G. *see* YI, Q.
- MATHEWS-ROTH, M. *see* NOONAN, F.P.
- MATSUBARA, Y. *see* KADOTA, J.
- MAYET, W.-J., SCHWARTING, A., ORTH, T., DUCHMANN, R. & MEYER ZUM BÜSCHENFELDE, K.-H. Antibodies to proteinase 3 mediate expression of vascular cell adhesion molecule-1 (VCAM-1), 259
- MC GHEE, J.R. *see* FUJHASHI, K.
- MC LATCHIE, K. *see* COOK, R.T.
- MC MICHAEL, A.J. *see* GAO, X.-M.
- MEUWISSEN, S.G.M. *see* BOUMA, G.
- MEYER ZUM BÜSCHENFELDE, K.-H. *see* MAYET, W.-J.
- MIKUNIYA, T. *see* SHIGEMATSU, M.
- MIYAZAKI, M. *see* ICHINOSE, H.
- MOODY, C. *see* JAWAHAR, S.
- MORANTE, M.P. *see* PELEGRI, C.
- MORGAN, A.J. *see* WILSON, A.D.
- MORGAN, G.W. *see* THORNTON, S.C.
- MORGAN-CAPNER, P. *see* THOMAS, H.I.J.
- MORISHIMA, T. *see* KUZUSHIMA, K.
- MOROSATO, L. *see* FATTOVICH, G.
- MOROZ, C. *see* BENTWICH, Z.
- MORRIS, C.J. *see* RAGNO, S.
- MOTOMIYA, Y. *see* YAMAGUCHI, T.
- NAGAI, S. *see* SHIGEMATSU, M.
- NAKANE, P.K. *see* ICHINOSE, H.
- NASH, M.C. WADE, A.M., SHAH, V. & DILLON, M.J. Normal levels of soluble E-selectin, soluble intercellular adhesion molecule-1 (sICAM-1), and soluble vascular cell adhesion molecule-1 (sVCAM-1) decrease with age, 167
- NICOLAS, J.C. *see* VACHIER, I.
- NIIMI, H. *see* HONMA, K.
- NILSEN, E.M. GJERTSEN, H.A., JENSEN, K. BRANDTZAEG, P. & LUNDIN, K.E.A. Gluten activation of peripheral blood T cells induces a Th0-like cytokine pattern in both coeliac patients and controls, 295
- NISHINO, Y. *see* ARASE, N.
- NOONAN, F.P., WEBBER, L.J., HOFFMAN, E.C. DE FABO, H.A., BENDICH, A. & MATHEWS-ROTH, M. Dietary β -carotene and ultraviolet-induced immunosuppression, 54
- NUÑEZ-ROLDAN, A. *see* GARCIA-LOZANO, R.
- OTOOLE, C.M. *see* THOMAS, H.I.J.
- OHKI, K. *see* ARASE, N.
- OKSENHENDLER, E. *see* BETTAIEB, A.
- ONOÉ, K. *see* ARASE, N.
- ORTH, T. *see* MAYET, W.-J.
- OZONO, Y. *see* ICHINOSE, H.
- PAGEAUX, G. *see* DUCOS, J.
- PALMBLAD, J.E.W. *see* HEIMBÜRGER, M.
- PARIDA, S. *see* DAS, B.K.
- PASQUALI, J.-L. *see* ESCHWÈGE, V.
- PAUZA, C.D. *see* WALLACE, M.
- PEEN, E., SUNDQVIST, T. & SKOGH, T. Leucocyte activation by anti-lactoferrin antibodies bound to vascular endothelium, 403
- PEETERS, H.R.M. *see* JONGEN-LAVRENCIC, M.
- PEIRANO, L. *see* LANZA, L.
- PELEGRI, C. MORANTE, M.P. CASTELLOTE, C. FRANCH, A. & CASTELL, M. Treatment with an anti-CD4 monoclonal antibody strongly ameliorates established rat adjuvant arthritis, 273

- PENNY, R. *see* THORNTON, S.C.
 PÉREZ, M. *see* ALGARRA, I.
 PEÑA, A.S. *see* BOUMA, G.
 PICOT, C. *see* AUDRAN, R.
 PILLAY, M. *see* JONGEN-LAVRENCIC, M.
 PILZ, S. *see* HEINKELEIN, M.
 PIRSKANEN, R. *see* YI, Q.
 PISA, P. *see* BUCHT, A.
 PIZZOLO, G. *see* FATTOVICH, G.
 PONCET, R. *see* DUCOS, J.
 POTRON, G. *see* ESNAULT, S.
 PRICE, E.J. *see* BROOKES, S.M.
 PRODIOSUDIADI, W. *see* GERRITSMAN, J.S.J.
 PUPPO, F. *see* LANZA, L.
 PUSEY, C.D. *see* GRIFFITH, M.E.
- QING, L. *see* VANHAM, G.
- RAGNO, S., WINROW, V.R., MASCAGNI, P., LUCIETTO, P., DI PIERRO, F., MORRIS, C.J. & BLAKE, D.R. A synthetic 10-kD heat shock protein (hsp10) from *Mycobacterium tuberculosis* modulates adjuvant arthritis, 384
 RAVINDRAN, B. *see* DAS, B.K.
 RETERINK, T.J.F., LEVARHT, E.W.N., KLAR-MOHAMAD, N., VAN ES, L.A. & M.R.DAHA: Transforming growth factor-beta 1 (TGF- β 1) down-regulates IgA Fc-receptor (CD89) expression on human monocytes, 161
 ROBBINS, J.M. *see* THORNTON, S.C.
 ROCHE, P.W., WINTER, N., TRICCAS, J.A., FENG, C.G. & BRITTON, W.J. Expression of *Mycobacterium tuberculosis* MPT64 in recombinant *Mycosmegmatis*: purification, immunogenicity and application to skin tests for tuberculosis, 226
 ROJAS, M. *see* AVILA, J.L.
 ROMBOUTS, W.J.C. *see* JONGEN-LAVRENCIC, M.
 ROUX, S. *see* VACHIER, I.
 ROZEMULLER, H. *see* JONGEN-LAVRENCIC, M.
 RUOL, A. *see* FATTOVICH, G.
 RUULS, S.R., VAN DER LINDEN, S., SONTROP, K., HUITINGA, I. & DIJKSTRA, C.D. Aggravation of experimental allergic encephalomyelitis (EAE) by administration of nitric oxide (NO) synthase inhibitors, 467
 RYFFEL, B. *see* WOERLY, G.
 RYGAARD, J. *see* JOHANSEN, H.K.
 RYGG, M. Cytokine-induced differential expression of serum amyloid A genes in fetal and neonatal rabbits, 335
- SAEED, A.M. *see* THOMAS, H.I.J.
 SAGAWA, K. *see* TAMAI, M.
 SAITO, A. *see* TOHYAMA, M.
 SAITO, K. *see* HONMA, K.
 SALERNO, G.
 SANCHEZ-ROMAN, J. *see* GARCIA-LOZANO, R.
 SANSONNO, D., IACOBELLI, A.R., CORNACCHIULO, V., IODICE, G. & DAMMACCO, F. Detection of hepatitis C virus (HCV) proteins by immunofluorescence and HCV RNA genomic sequences by non-isotopic *in situ* hybridization in bone marrow and peripheral blood mononuclear cells of chronically HCV-infected patients, 414
 SASAZUKI, T. *see* YAMANE, K.
 SCHIPPER, F. *see* VAESSEN, L.M.B.
 SCHNEIDER, E. *see* BEN-AMOR, A.
 SCHWARTING, A. *see* MAYET, W.-J.
 SCUDELETTI, M. *see* LANZA, L.
 SEGONDY, M. *see* DUCOS, J.
 SERRE, A. *see* DUCOS, J.
 SHAH, V. *see* NASH, M.C.
 SHIGEMATSU, M., NAGAI, S., MIKUNIYA, T., IZUMI, T., WIGZELL, H., EKLUND, A.G. & GRUNEWALD, J. T cell receptor (TCR) V gene segment use in HLA-typed Japanese healthy subjects, 149
 SHIMOJO, N. *see* HONMA, K.
 SHIN, H.C. *see* ESNAULT, S.
 SHIN, M. *see* ICHINOSE, H.
 SHIRAI, R. *see* KADOTA, J.
 SHOOSHSTARI, M. *see* WILSON, A.D.
 SINGH, B. *see* HANDLEY, H.H.
- SIRECI, A. *see* ASHERSON, G.L.
 SKOGH, T. *see* PEEN, E.
 SMEDEGÅRD, G. *see* BUCHT, A.
 SONTROP, K. *see* RUULS, S.R.
 STAINES, N.A., HARPER, N., WARD, F.J., MALMSTRÖM, V., HOLMDAHL, R. & BANSAL, S. Mucosal tolerance and suppression of collagen-induced arthritis (CIA) induced by nasal inhalation of synthetic peptide 184-198 of bovine type II collagen (CII) expressing a dominant T cell epitope, 368
 SUNDQVIST, T. *see* PEEN, E.
 SUZUKI, N. *see* HONMA, K.
 SWAAK, A.J.G. *see* JONGEN-LAVRENCIC, M.
- TAMAI, M., SAGAWA, K., KAWABATA, R., INOUE, A. & ITOH, K. Production of IL-6 by T cells from the femoral head of patients with rapidly destructive coxopathy (RDC), 506
 TANIGUCHI, H. *see* KADOTA, J.
 TÊROUANNE, B. *see* VACHIER, I.
 THOMAS, H.I.J., WILSON, S., OTOOLE, C.M., LISTER, C.M., SAEED, A.M., WATKINS, R.P.F. & MORGAN-CAPNER, P. Differential maturation of avidity of IgG antibodies to gp41, p24 and p17 following infection with HIV-1, 185
 THOMPSON, S.J. *see* BARKER, R.N.
 THORNE, C. *see* BUCHT, A.
 THORNTON, S.C., WALSH, B.J., BENNETT, S., ROBBINS, J.M., FOULCHER, E., MORGAN, G.W., PENNY, R. & BREIT, S.N. Both *in vitro* and *in vivo* irradiation are associated with induction of macrophage-derived fibroblast growth factors, 67
 TOHYAMA, M., KAWAKAMI, K., FUTENMA, M. & SAITO, A. Enhancing effect of oxygen radical scavengers on murine macrophage anti-cryptococcal activity through production of nitric oxide, 436
 TOMIOKA, H., KISHIMOTO, T. & MAW, W.W. Phospholipids and reactive nitrogen intermediates collaborate in expression of the T cell mitogenesis-inhibitory activity of immunosuppressive macrophages induced in mycobacterial infection, 219
 TOOSSI, Z. *see* VANHAM, G.
 TOTI, F. *see* ESCHWÈGE, V.
 TOUJAS, L. *see* AUDRAN, R.
 TSAI, S.L., LAI, M.Y. & CHEN, D.S. Analysis of rearranged T cell receptor (TCR) V β transcripts in livers of primary biliary cirrhosis: preferential V β usage suggests antigen-driven selection, 99
 TSUGE, I. *see* KUZUSHIMA, K.
 TSUNOO, H. *see* HONMA, K.
- VACHIER, I., ROUX, S., CHANEZ, P., LOUBATIÈRE, J., TÊROUANNE, B., NICOLAS, J.C. & GODARD, P. Glucocorticoids induced down-regulation of glucocorticoid receptor mRNA expression in asthma, 311
 VAESSEN, L.M.B., SCHIPPER, F., KNOOP, C., CLAAS, F.H.J. & WEIMAR, W. Inverted V δ 1/V δ 2 ratio within the T cell receptor (TCR)- $\gamma\delta$ T cell population in peripheral blood of heart transplant recipients, 119
 VAN DAMME, J. *see* AUDRAN, R.
 VAN DER LINDEN, S. *see* RUULS, S.R.
 VAN ES, L.A. *see* GERRITSMAN, J.S.J.
 VAN ES, L.A. *see* RETERINK, T.J.F.
 VAN SCHIE, R.C.A.A. *see* MAEDA, M.
 VANHAM, G., EDMONDS, K., QING, L., HOM, D., TOOSSI, Z., JONES, B., DALEY, C.L., HUEBNER, R., KESTENS, L., GIGASE, P. & ELLNER, J.J. Generalized immune activation in pulmonary tuberculosis: co-activation with HIV infection, 30
 VAUGHAN, J.H. *see* HANDLEY, H.H.
 VENABLES, P.J.W. *see* BROOKES, S.M.
 VENDRELL, J.-P. *see* DUCOS, J.
 VERWEI, C.L. *see* GERRITSMAN, J.S.J.
 VIDALI, G. *see* LANZA, L.
 VINANTE, F. *see* FATTOVICH, G.
 VON BLOMBERG, B.M.E. *see* BOUMA, G.
 VREUGDENHIL, G. *see* JONGEN-LAVRENCIC, M.
- WADE, A.M. *see* NASH, M.C.
 WAKSMAN, Y., HOD, I. & FRIEDMAN, A. Therapeutic effects of estradiol benzoate on development of collagen-induced arthritis (CIA) in the Lewis rat are mediated via suppression of the humoral response against denatured collagen type II (CII), 376

- WALDSCHMIDT, T.J. *see* COOK, R.T.
- WALLACE, M., BARTZ, S.R., CHANG, W.-L., MACKENZIE, D.A., PAUZA, C.D. & MALKOVSKY, M. $\gamma\delta$ T lymphocyte responses to HIV, 177
- WALSH, B.J. *see* THORNTON, S.C.
- WARD, F.J. *see* STAINES, N.A.
- WATKINS, P. *see* WILSON, A.D.
- WATKINS, R.P.F. *see* THOMAS, H.I.J.
- WEBB, L.M.C. *see* BROOKES, S.M.
- WEBBER, L.J. *see* NOONAN, F.P.
- WEBSTER, A.D.B., BROWN, D., FRANZ, A. & DUSHEIKO, G. Prevalence of hepatitis C in patients with primary antibody deficiency, 5
- WEIMAR, W. *see* VAESSEN, L.M.B.
- WEISBROT, L. *see* BUCHT, A.
- WEISMAN, Z. *see* BENTWICH, Z.
- WELLS, A.D. *see* BARKER, R.N.
- WHELAN, A. *see* HASSAN, J.
- WICHMANN, I. *see* GARCIA-LOZANO, R.
- WIGZELL, H. *see* SHIGEMATSU, M.
- WILSON, A.D., SHOOSHSTARI, M., FINERTY, S., WATKINS, P. & MORGAN, A.J. Virus-specific cytotoxic T cell responses are associated with immunity of the cottontop tamarin to Epstein-Barr virus (EBV), 199
- WILSON, S. *see* THOMAS, H.I.J.
- WINROW, V.R. *see* RAGNO, S.
- WOERLY, G., BROOKS, N. & RYFFEL, B. Effect of rapamycin on the expression of the IL-2 receptor (CD25), 322
- WRAITH, D.C. Antigen-specific immunotherapy of autoimmune disease: a commentary, 349
- XIA, B. *see* BOUMA, G.
- XIAO, B.-G., ZHANG, G.-X., MA, C.-G. & LINK, H. Transforming growth factor-beta 1 (TGF- β 1)-mediated inhibition of glial cell proliferation and down-regulation of intercellular adhesion molecule-1 (ICAM-1) are interrupted by interferon-gamma (IFN- γ), 475
- YAMAGUCHI, T., IWANO, M., KUBO, A., HIRAYAMA, T., AKAI, Y., HORII, Y., FUJIMOTO, T., HAMAGUCHI, T., KURUMATANI, N., MOTOMIYA, Y. & DOHI, K. IL-6 mRNA synthesis by peripheral blood mononuclear cells (PBMC) in patients with chronic renal failure, 279
- YAMAMOTO, K. *see* YAMANE, K.
- YAMAMOTO, M. *see* FUJIIHASHI, K.
- YAMAMOTO, M. *see* KUZUSHIMA, K.
- YAMANE, K., YAMAMOTO, K., YOSHIKAWA, Y. & SASAZUKI, T. Effect of the expression of DR α E β ^{NOD} molecule on the development of insulinitis and diabetes in the non-obese diabetic (NOD) mouse, 141
- YANNI, G. *see* HASSAN, J.
- YI, Q., HE, W., MATELL, G., PIRSKANEN, R., MAGNUSSON, Y., ENG, H. & LEFVERT, A.K. T and B lymphocytes reacting with the extracellular loop of the β_2 -adrenergic receptor (β_2 AR) are present in the peripheral blood of patients with myasthenia gravis, 133
- YOSHIKAWA, Y. *see* YAMANE, K.
- YSEL, H. *see* D'SOUZA, S.
- YU, D.T.Y. *see* HANDLEY, H.H.
- YU, J. *see* HANDLEY, H.H.
- YÜKSEL, B. *see* MAEDA, M.
- ZHANG, G.-X. *see* XIAO, B.-G.
- ZHAO, M.H. & LOCKWOOD, C.M. Azurocidin is a novel antigen for anti-neutrophil cytoplasmic autoantibodies (ANCA) in systemic vasculitis, 397
- ZHU, J. Ultraviolet B irradiation and cytomegalovirus infection synergize to induce the cell surface expression of 52-kD/Ro antigen, 47

Subject Index

- acute-phase protein, 335
- adhesion molecules, 155
- adoptive transfer, 192
- age factors, 167
- alcoholism, 304
- amniotic fluid, 335
- anaemia, 328
- anaemia of chronic disease, 328
- ANCA, 259, 397, 403
- animal model, 212
- anti-CD3 MoAb, 491
- anti-CD3 monoclonal antibody, 233
- anti-collagen antibodies, 376
- anti-gp41, 185
- anti-lactoferrin antibodies, 403
- anti-neutrophil cytoplasmic antibodies, 253
- anti-p17, 185
- anti-p24, 185
- antibodies, 40
- antibody titre, 185
- antigen, 397
- antigen processing, 35
- antiphospholipid antibodies, 171
- Apo-I, 8
- apolipoprotein H (β_2 glycoprotein I), 171
- apoptosis, 8, 482
- arthritis, 89, 273, 368
- asthma, 311
- atopy, 111
- autoantibodies, 74
- autoantibody, 429
- autoantigen, 83
- autoimmune response, 133
- autoimmunity, 40, 89
- azurocidin, 397
- β -carotene, 54
- β_2 -adrenergic receptor, 133
- B cell mitogen, 24
- B cells, 304
- B lymphocytes, 133
- blood mononuclear cells, 111
- bronchoalveolar lavage, 461
- calreticulin, 47
- CD16, 408
- CD25, 322
- CD4, 273
- CD45RA^{hi} B cells, 304
- CD5⁺ B cells, 304, 353
- CD8, 273
- CD89, 161
- CD95, 8
- cell adhesion, 454
- cell adhesion molecules, 167
- cerebral malaria, 442
- Chagas' disease, 40
- chaperonin 10, 384
- chemotaxis, 155
- children, 167
- cholesterol sulphate, 40
- chronic active EBV infection, 192
- chronic airway disease, 461
- chronic disease, 328
- chronic hepatitis B, 105
- chronic liver disease, 414
- chronic renal failure, 279
- coeliac disease, 94, 295
- collagen, 89
- collagen type II, 368
- collagen-induced arthritis, 376
- connective tissue diseases, 67
- contact hypersensitivity, 54
- contact sensitivity, 1
- continuous ambulatory peritoneal dialysis, 279
- corticosteroids, 311
- covalently bound immune complexes, 285
- Crohn's disease, 391
- cross-reactivity, 19
- Cryptococcus neoformans*, 436
- CTL, 89
- cystic fibrosis, 212
- cytokine, 125, 279
- cytokine profile, 111
- cytokines, 133, 239, 289, 295, 422, 482, 491
- cytomegalovirus, 47
- cytotoxic T cell, 199
- cytotoxic T lymphocyte, 192
- cytotoxicity, 177
- delayed hypersensitivity, 1
- diffuse panbronchiolitis, 461
- DR α transgenic mouse, 141
- E α transgenic mouse, 141
- early pregnancy factor, 384
- endothelial cells, 259, 403, 454
- epitope, 446
- Epstein-Barr virus, 192, 199
- Ethiopian immigrants, 239
- experimental allergic encephalomyelitis, 467
- experimental arthritis, 77, 384
- Fas, 8
- Fc receptors, 343, 408
- FC γ receptor, 30
- fever, 61
- fibroblast growth factors, 67
- fibroblasts, 47, 67
- fibrosis, 67
- FK506, 322
- food allergy, 446
- $\gamma\delta$ cells, 119
- $\gamma\delta$ T cells, 1
- $\gamma\delta$ T lymphocyte, 177
- gene polymorphism, 391
- gingival tissues, 422
- glial cell culture, 475
- glucocorticoid receptor, 311
- glucocorticoids, 482
- glutamic acid decarboxylase, 141
- granulocyte activation, 403
- granulocytes, 343
- groEL, 429
- H-2 antigens, 499
- haemodialysis, 279
- haplotype, 391
- HBsAg, 15

- HCV, 5
 healthy individuals, 149
 heart transplantation, 119
 heat shock protein, 83, 429
 heat shock protein(s), 384
 helminth infections, 239
 hepatitis C virus, 414
 herpes, 408
 histamine release, 446
 HIV, 30, 177
 HIV-1, 24
 HIV-infected T cell line, 24
 HIV-related immune thrombocytopenia, 19
 HLA, 149
 HLA association, 391
 HLA-DR, 30
 hsp60, 429
 hsp70-induced suppression, 77
 human, 111, 155
 human blood monocytes, 311
 humoral immunity, 105
 hydralazine-induced vasculitis, 397

 IFN- γ treatment, 212
 IgA, 94
 IgA nephropathy, 125
 IgA subclasses, 206
 IgE antibody, 446
 IgM, 94
 IL-1, 335
 IL-1 receptor antagonist, 461
 IL-10, 268, 357
 IL-12, 357
 IL-1 β , 461
 IL-2, 491
 IL-2 receptor, 322
 IL-4, 1, 357
 IL-6, 279, 328, 335, 506
 IL-8, 289
 immune activation, 30
 immune complexes, 285
 immune dysregulation, 239
 immune response, 244
 immunodeficiency, 408
 immunofluorescence, 414
 immunogenicity, 226
 immunoglobulin therapy, 5
 immunoglobulins, 61
 immunoregulation, 384
 immunosuppression, 54, 244
 immunosuppressive macrophages, 219
 immunotherapy, 273
in situ hybridization, 125, 414
 inflammation, 422
 inflammatory bowel disease 391
 inhalation, 368
 insulinitis, 141
 intercellular adhesion molecule-1, 475
 interferon-gamma, 35, 61, 233, 357, 436, 475
 intestinal perfusion, 94
 intracellular calcium, 454
 IVAP, 15
 ivermectin, 244

 lactoferrin, 403
 leukotrienes, 454
 LFA-1, 475
 lipospheres, 171
 lymphocytes, 61
 lymphotoxin, α , 391

 mRNA, 125, 311
 macrophages, 67, 155, 436, 467
 mast cells, 316

 MCP-1, 155
 metastases, 499
 mimicry, 429
 monoclonal antibody, 273
 monocyte, 161
 monocytes, 343
 mononuclear cells, 414
 morphometrics, 316
 mucosal immune response, 206
 myasthenia gravis, 133
Mycobacterium avium complex mycobacteria, 35
Mycobacterium avium-intracellulare complex, 219
Mycobacterium tuberculosis, 226
 myeloperoxidase, 253

 natural killer cell, 199
 natural killer cells, 408, 499
 neonates, 206, 343
 neutrophils, 454
 nitric oxide, 436, 467
 nitric oxide synthase inhibitors, 467
 NO, 219
 NOD mouse, 141

Onchocerca volvulus, 244
 onchocerciasis, 244
 ontogeny, 316
 osteoclast-activating factor, 506
 ovalbumin, 446
 oxygen radical scavengers, 436

 peptide, 368
 peptides, 89
 peripheral blood T cell clones, 295
 phosphatidyl choline antibodies, 442
 phospholipids, 219
 picryl, 1
Plasmodium falciparum, 442
 platelet antibodies, 19
 polymerase chain reaction, 111
 polymorphonuclear leucocytes, 343
 prednisone, 482
 primary biliary cirrhosis, 99
 primary immunodeficiency, 5
 pristane-induced arthritis, 83
 prognosis, 442
 proliferation, 177
 protein expression, 226
 proteinase 3, 253, 259
 proximal tubular epithelial cells, 289
Pseudomonas aeruginosa, 212

 rapamycin, 322
 rapidly destructive coxopathy, 506
 reactive nitrogen intermediates, 219
 recent infection, 185
 recombinant, 226
 relative antibody avidity, 185
 renal glomeruli, 285
 replication protein A, 74
 rheumatoid arthritis, 353, 357
 rheumatoid factor, 94
 Ro autoantigens, 47
 rotavirus vaccine, 206

 sIg, 24
 serum IgA, 206
 sex hormones, 376
 Sjögren's syndrome, 268
 soluble CD30, 105
 sterols antibody, 40
 superoxide, 436
 survival, 499
 systemic lupus erythematosus, 74

systemic vasculitis, 253, 397

T cell, 506

T cell mitogenesis, 219

T cell receptor, 99

T cell subset, 295

T cell unresponsiveness, 491

T cells, 35, 253

T helper cell subsets, 239

T helper type 2, 105

T lymphocyte activation, 322

T lymphocytes, 133, 482

tamarin, 199

TCR V genes, 149

TCR $\gamma\delta^+$ T cells, 353

Th1, 268

Th1 and Th2, 422

Th1 cell, 125

Th1-like response, 212

Th2 cell, 125

therapy, 499

tolerance, 368

transforming growth factor beta, 357, 475

transforming growth factor-beta, 1, 161, 491

Trypanosoma cruzi, 233

tuberculosis, 30

tumour necrosis factor, 335

tumour necrosis factor-alpha, 233, 391, 442

ulcerative colitis, 391

ultraviolet B, 54

ultraviolet B irradiation, 47

vaccine, 15

vaccinia, 8

variable gene usage, 99

vascular cell adhesion molecule-1, 259

vasculitis, 259

V δ 1/V δ 2 ratio, 119

viruses, 408

von Willebrand Factor, 167

younger onset, 353

